

REQUEST FOR BIDS

Type of Solicitations: This is a subcontracting opportunity to provide and install window film on existing windows

Location: 13421 Coit Road
Cleveland, Ohio 44110

Project Title: Deficiencies 103931, 103932, 103933

Statement of Work

Project Title: Installation of window film

Background:

Windows on center in large areas creates glare and wastes energy. The lighting level was measured at 350 foot-candles (fc) in the Administration Lobby and Wellness Lobby, the lighting measured at 260 fc with a large contribution from daylight. The recommended lighting level is 30 fc.

Scope of Work:

Administration building has eight windows 57 ¾" x 41½", one window 57 ¾" x 36", one window 51 ½" x 36" and six windows that are 57 ¾" x 57 ¾"

Wellness building has 10 windows are 41 ½" x 57 ¾", six are 57 ¾" x 57 ¾" and two are 36" x 57 1/2"

Recreation building has five windows 57 ½" x 13" six windows are 57 ½" x 37 ½", 24 windows are 57 ½" x 57 ½"

The windows in Administration and Wellness have letters on the windows and the top row of windows in the Recreation has vertical lines going across made from vinyl. The vinyl was applied with premanufactured glue on the inside that will need to be removed prior to the installation of the film.

The window film should be tinted low-e with total solar rejected above 70%, solar heat gain coefficient greater than 0.25 and glare reduction above 63%

Applicable Documents:

Certified Payroll in accordance with the Davis Bacon Act (www.wdol.gov) for work completed over \$2,000

Certificate of Liability Insurance with Serrato Corporation listed as a certificate holder

Place of Performance:

Cleveland Job Corps Center
13421 Coit Road
Cleveland, Ohio 44110

Primary Point of Contact: Allison Berki, Buyer

Email: berki.allison@jobcorps.org

Tel: 216-541-7755

Terms and conditions can be found at <http://www.horizonsyouthservices.com>

Click on About >>Click on Links of Interest>> Click on General Terms and Agreements